



Figure 1. Juvenile Olog's Gull *Larus atlanticus*, Saco da Fazenda, Itajaí, Santa Catarina, 11 August 2001 (J. O. Branco)



Figure 2. First-summer Olog's Gull *Larus atlanticus*, Saco da Fazenda, Itajaí, Santa Catarina, 17 November 2001 (J. O. Branco)

(26°53'–26°55'S 48°38'–48°39'W), which were seen on 11 August, 8 September, 13 October and 17 November. The first bird to be found and photographed (August) had a dark head and body with clearly paler upperwing-coverts, which permitted its identification as a juvenile<sup>9</sup> (Fig. 1). The bird photographed in November had a lot of white on the forehead, the wing was dark with many fewer pale feathers, and a whitish semi-collar was evident on the hindneck; it was thus largely in first-summer plumage (Fig. 2).

Several Lari have been recorded for the first time in Santa Catarina recently<sup>11,12</sup>, and this species is also new to the state<sup>13</sup>, thereby extending the known range 380 km north from the previous northernmost locality in Rio Grande do Sul, Tramandaí<sup>4</sup>.

#### Acknowledgements:

Giovanni N. Maurício kindly reviewed the first version of our manuscript. James Lowen and Mark Pearman provided useful and important comments on the age of the birds photographed.

#### Olog's Gull *Larus atlanticus* in Santa Catarina, Brazil: northernmost occurrence and first state record

Olog's Gull *Larus atlanticus* is a threatened species (Vulnerable)<sup>5</sup> that occurs on the Atlantic coast of southern South America. It breeds in eastern Argentina and moves north during the austral winter, reaching Uruguay and extreme southern Brazil<sup>5,7,8</sup>. To date there are only a handful of records of *L. atlanticus* in Brazil, all of them from coastal Rio Grande do Sul<sup>4,10</sup>. The first record was of one captured alive in winter 1971 on an island in front of Rio Grande town<sup>1</sup>. Since then, the species has been reported at eight localities in Rio Grande do Sul, five of them around Lagoa dos Patos<sup>4</sup>. Formerly considered a vagrant to Brazil<sup>2,3</sup>, Olog's Gull is currently treated as a regular visitor in April–August<sup>4,6</sup>.

In 2001, JOB found two different Olog's Gulls at Saco da Fazenda, Itajaí, Santa Catarina

#### References

1. Belton, W. (1984) Birds of Rio Grande do Sul, Brazil. Part. 1. Rheidae through Furnariidae. *Bull. Amer. Mus. Nat. Hist.* 178: 371–631.
2. Belton, W. (1994) *Aves do Rio Grande do Sul: distribuição e biologia*. São Leopoldo: Ed. Unisinos.
3. Bencke, G. A. (2001) *Lista de referência das aves do Rio Grande do Sul*. Porto Alegre: Fundação Zoobotânica do Rio Grande do Sul.
4. Bencke, G. A., Fontana, C. S., Dias, R. A., Mauricio, G. N. & Mahler, J. K. F. (2003) Aves. In: Fontana, C. S., Bencke, G. A. & Reis, R. E. (eds.) *Livro vermelho da fauna ameaçada de extinção no Rio Grande do Sul*. Porto Alegre: Edipucrs.
5. BirdLife International (2000) *Threatened birds of the world*. Barcelona: Lynx Edicions & Cambridge, UK: BirdLife International.
6. Comitê Brasileiro de Registros Ornitológicos (2007) Lista das aves do Brasil. [www.cbro.org.br/CBRO/pdf/avesBrasil\\_16agost02007.pdf](http://www.cbro.org.br/CBRO/pdf/avesBrasil_16agost02007.pdf) (accessed 31 March 2008).
7. Escalante, R. (1962) Frequency of occurrence of some seabirds in Uruguay. *Condor* 64: 510–512.
8. Escalante, R. (1966) Notes on the Uruguayan population of *Larus belcheri*. *Condor* 68: 507–510.
9. Harrison, P. (1983) *Seabirds: an identification guide*. Boston: Houghton Mifflin.
10. Mazar Barnett, J., Minns, J., Kirwan, G. M. & Remold, H. (2004) Informações adicionais sobre as aves dos estados do Paraná, Santa Catarina e Rio Grande do Sul. *Ararajuba* 12: 55–58.
11. Olmos, F. (2000) Revisão dos registros de *Stercorarius pomarinus* no Brasil, com notas sobre registros de *S. longicaudus* e *S. parasiticus* (Charadriiformes: Stercorariidae). *Nattereria* 1: 29–33.
12. Piacentini, V. Q., Wedekin, L. L. & Daura-Jorge, F. G.

- (2005) Petrels, skuas and other migrant seabirds in a coastal bay in Santa Catarina state, southern Brazil. *Cotinga* 24: 55–59.
13. Rosário, L. A. (1996) *As aves em Santa Catarina: distribuição geográfica e meio ambiente*. Florianópolis: FATMA.

**José Fernando Pacheco**

*Comitê Brasileiro de Registros Ornitológicos. E-mail: jfpacheco@terra.com.br.*

**Joaquim Olinto Branco**

*Centro de Ensino em Ciências Tecnológicas da Terra e do Mar, UNIVALI, CP 360, CEP 88301-970, Itajaí, Santa Catarina, Brazil. E-mail: branco@univali.br.*

**Vitor de Queiroz Piacentini**

*Pós-graduação em Zoologia, Inst. de Biociências, Universidade de São Paulo (USP); Museu de Zoologia da USP; e Comitê Brasileiro de Registros Ornitológicos. E-mail: ramphocelus@hotmail.com.*

Received 29 April 2008; final revision accepted 15 July 2008 (published online 4 March 2009)